



# ABSORBENTS

OIL ONLY • HAZARDOUS LIQUIDS • MAINTENANCE





## Oil Only



ENV Pads & Rolls	MAXX technology absorbents	<b>3</b>
SPC Pads	extra-large standard pads	<b>4</b>
SPC Blue Pads	one-sided blue coverstock	<b>4</b>
Oil Plus Pads & Rolls	premium quality absorbents	<b>5</b>
R18 & R36 Pads	for the offshore oil industry	<b>6</b>
Static Resistant Pads & Rolls	reduces static build-up	<b>6</b>
TrackMat Rolls	for high traffic areas	<b>7</b>
Spill Boxes	reusable pad dispenser box	<b>7</b>
Socs, Pillows & Drum Top Covers	for spills & leaks	<b>8</b>
Booms & Microfibres	for specialist applications	<b>9</b>
Granules, Powders & Bioremediation	for oil spills & stains	<b>10-11</b>
Sweeps, Nets & Booms	for oil spills in water	<b>12-13</b>

## Hazardous Chemicals



UN Pads & Rolls	for use on chemicals & hazardous spills	<b>14</b>
Socs, Pillows & Booms	for hazardous spills & leaks	<b>14-15</b>

## Maintenance



GP Pads & Rolls	MAXX technology absorbents	<b>16</b>
MRO Pads	premium quality absorbents	<b>16</b>
UXT Pads & Rolls	extra-tough absorbents	<b>17</b>
BattleMat Rolls	moderate traffic absorbent mats	<b>17</b>
Comfort Spill Mats	anti-fatigue absorbent mats	<b>18</b>
Benchtop Wipes	for cleaning tools, parts or drips	<b>18</b>
Socs, Pillows & Drum Top Covers	for spills & leaks	<b>19</b>
Multi-Use Rolls	5-in-1 absorbent roll	<b>20</b>



## ENV Pads & Rolls

**Oil Only**



- Pads and rolls made with MAXX technology.
- Superior adsorbency, greater strength plus less weight means lower disposal costs.
- MAXX pads and rolls absorb up to 24 x their own weight in oil - the most adsorbent pad per kilogram on the market
- With MAXX technology, less material is needed to pick up the same amount of oil, resulting in lower disposal costs.
- MAXX pads are up to 25% stronger.
- Superior finish - less lint and more abrasion resistance.
- Ideal for applications where low cost and high adsorbency are required.
- Pads come packed in boxes for easy handling and storage.



Part No.	Description	Dimensions	Weight	Capacity	No./Pallet	Packaging
ENV100-M	MAXX Pads - Oil Only	41 x 51cm	heavyweight	136 Litres	30	100/box
ENV200-M	MAXX Pads - Oil Only	41 x 51cm	lightweight	221 Litres	24	200/box
ENV300-M-B	MAXX Pads - Oil Only	41 x 51cm	mediumweight	111 Litres	30	100/box
ENV400-M	MAXX Pads - Oil Only	41 x 51cm	heavyweight	110 Litres	36	100/box
ENV150-E	Roll - Oil Only	96cm x 44m	heavyweight	274 Litres	16	1/bale
ENV152-E	Roll - Oil Only	48cm x 44m	heavyweight	274 Litres	16	2/bale

## SPC Pads

## Oil Only



- Standard pads for industrial or marine use.
- Adsorb oil & petroleum based liquids.
- SPC pads are now up to 25% stronger!
- Now with a smoother, better looking finish with less lint and improved durability.
- Convenient and cost effective pads for clean up of oil on land and water.
- SPC200-E packed in boxes for easy handling and storage.
- SPC50-E are extra-sized for larger spills.

Part No.	Description	Dimensions	Weight	Capacity	No./Pallet	Packaging
SPC50-E	Pads - perforated & bonded	84 x 100cm	heavyweight	230 Litres	30	50/bale
SPC200-E	Pads - perforated & bonded	41 x 51cm	lightweight	166 Litres	24	200/box
BO200-E	Pads - perforated & bonded	41 x 51cm	lightweight	83 Litres	30	100/bale

## SPC Blue Pads

## Oil Only



- Oil only pads and rolls with added durability.
- Adsorbs oil & petroleum based liquids.
- One-Sided blue coverstock for added strength and less lint.
- Can be used as "wipe down" sorbent.
- Popular sorbent in the paper industry where identification of foreign material in the production process is critical - SPC Blue is highly visible.
- Heavy weight for high adsorbency.

Part No.	Description	Dimensions	Weight	Capacity	No./Pallet	Packaging
SPC105-E	Pads - perforated & bonded	41 x 51cm	heavyweight	121 Litres	30	100/bale
SPC155	Roll - bonded	96cm x 44m	heavyweight	244 Litres	16	1/bale
SPC155-2P	Roll - perforated & bonded	48cm x 44m	heavyweight	244 Litres	16	2/bale




# Oil Plus Pads & Rolls

# Oil Only



- A high quality oil only sorbent used where a combination of good adsorption & added strength is required.
- Adsorbs oil & petroleum based liquids.
- Perfect for general everyday use and emergency spill clean up.
- Ideal sorbent for dealing with leaks and drips in the work place.
- One sided spunbound gives extra strength as well as lower lint.
- Pads available with unique "Dispense & Dispose" system for added convenience and lower cost per pad.
- Pads perforated to help you minimise waste and lower disposal costs.
- Rolls available with perforations for ease of use and to minimise waste.



Part No.	Description	Dimensions	Weight	Capacity	No./Pallet	Packaging
OP100-E	Pads - perforated & bonded	41 x 51cm	heavyweight	112 Litres	30	100/box
OP150-DND-E	Pads - perforated & bonded, D&D	41 x 51cm	heavyweight	168 Litres	24	150/disp.box
OP15-P-E	Roll - perforated & bonded	38cm x 46m	heavyweight	94 Litres	30	1/disp.box
OP15-DP-E	Roll - dbl-perforated & bonded	38cm x 46m	heavyweight	94 Litres	36	1/disp.box
OP15-DPS-E	Roll - dbl-perforated & bonded	38cm x 22m	heavyweight	45 Litres	36	1/disp.box
OP30-P-E	Roll - perforated & bonded	76cm x 46m	heavyweight	187 Litres	16	1/box
OP30-DP-E	Roll - dbl-perforated & bonded	76cm x 46m	heavyweight	187 Litres	16	1/box

## R18 & R36 Pads

**Oil Only**



- Uniquely bonded oil pads specifically designed for the offshore Oil Industry.
- Offshore Oil Grade.
- Faster pick-up.
- Superior strength.
- > 14 x Weight absorption.
- Perforated for convenience.

Part No.	Description	Dimensions	Pad size	Capacity	No./Pallet	Packaging
R18	Roll of pads, perforated & bonded	40cm x 40.5m	40 x 45cm	49 Litres	16	90 pads/roll/bale
R36	Roll of pads, perforated & bonded	80cm x 38.7m	80 x 86cm	93 Litres	8	45 pads/roll/bale

## Static Resistant Pads & Rolls

**Oil Only**



- Oil only pads specifically designed for areas where static electricity is a concern.
- Adsorbs oil and petroleum based liquids.
- Reduces safety risk where static build-up is an issue.



Part No.	Description	Dimensions	Weight	Capacity	No./Pallet	Packaging
SR1850	Pads - static resistant	38 x 48cm	lightweight	30 Litres	50	50/bale
SR3625	Pads - static resistant, jumbo size	76 x 76cm	heavyweight	61 Litres	10	25/bale
SR3600	Roll - static resistant	76cm x 46m	heavyweight	167 Litres	16	1/bale



# Trackmat Rolls

**Oil Only**



- Designed for high traffic areas.
- High absorption and outstanding durability.
- Heavy duty top layer for maximum strength and durability.
- Non-slip backing keeps the mat in place for a slip-free work environment.
- Barrier film limits liquid from penetrating to the floor.
- Grey colour masks drips and spills for longer use.
- UV resistant top layer makes it ideal for use both indoors and outdoors.

Part No.	Description	Dimensions	Weight	Capacity	No./Pallet	Packaging
TM19	Mat, barrier-backed & bonded	48cm x 24.4m	heavyweight	135 Litres	16	2/bale
TM29	Mat, barrier-backed & bonded	74cm x 24.4m	heavyweight	104 Litres	8	1/bale
TM58	Mat, barrier-backed & bonded	147cm x 24.4m	heavyweight	207 Litres	8	1/bale

# Spill Box

**Oil Only, Maintenance & Hazardous**




- A convenient dispenser box for your pads.
- Create multiple spill stations around your plant!
- Reusable plastic box allows for easy refilling.
- Lightweight and easy to fix to any surface.
- High visibility - bright yellow colour.
- Small size - fits behind driver's seat on a truck.
- Refills available.
- Visual instructions included for both use and refilling.
- Available for Oil, Maintenance and Hazardous Liquids.

Part No.	Description	Dimensions	Capacity	Packaging
SA-SBO	Spill Box - Oil Only (inc 15 Pads, 41cm x 51cm)	44 x 53 x 4cm	10 Litres	15 pads/box
SXT200-E	Refills - Oil Only Pads (41cm x 51cm)	-	136 Litres	200/box
SA-SBH	Spill Box - Hazardous Liquids (inc 10 Pads, 41cm x 51cm)	44 x 53 x 4cm	9 Litres	10 pads/box
UN100-E	Refills - Hazardous Liquids Pads (41cm x 51cm)	-	88 Litres	200/box
SA-SBA	Spill Box - Maintenance (inc 15 Pads, 41cm x 51cm)	44 x 53 x 4cm	10 Litres	15 pads/box
UXT200-E	Refills - Maintenance Pads (41cm x 51cm)	-	136 Litres	200/box

## Socs

## Oil Only



- Ideal for adsorbing leaks and spills around machines.
- Various lengths to suit any application.
- Strong wicking action - adsorption begins instantly after contact with spilled liquid - no need to turn.
- Adsorbs hydrocarbons while repelling water.
- Flexible design allows the Soc to fit around any machine, corner or curve.
- FLEXISOC - the ultimate Soc for flexibility. Simply cut to the length you require and clip.

Part No.	Description	Dimensions	Capacity	No./Pallet	Packaging
OIL430	Socs	ø 7.6cm x 1.22m	106 Litres	25	30/box
OIL412	Socs	ø 7.6cm x 1.22m	43 Litres	30	12/box
OIL806	Socs	ø 7.6cm x 2.44m	43 Litres	30	6/box
OIL124	Socs	ø 7.6cm x 3.66m	43 Litres	30	4/box
OIL561	FlexiSoc - includes 30 clips	ø 7.6cm x 17m	49 Litres	40	1/box

## Pillows & Drum Top Covers

## Oil Only



- PILLOWS** - ideal for adsorbing spills and leaking fluids in tight spaces and under persistent drip sources.
- Adsorbs oil & petroleum based liquids.
  - Different sizes to fit any application or spill.
- DRUM TOP COVERS** - keep drum tops neat & clean.
- Adsorbs oil & petroleum based liquids.
  - Creates a clean and safe work environment by preventing pump drips from reaching the floor.
  - Pre-cut holes for 205L Drums.

Part No.	Description	Dimensions	Capacity	No./Pallet	Packaging
OIL1818	Pillows	43 x 48cm	105 Litres	20	16/box
OIL1818-2	Pillows	43 x 48cm	53 Litres	20	8/box
OIL99	Pillows	25 x 25cm	58 Litres	20	32/box
SPC10	Pillows - heavyweight	36 x 64cm	197 Litres	10	10/bale
DTO25	Drum Top Covers	ø 56cm	26 Litres	50	25/box





# Marine & Bilge Booms

Oil Only



- Adsorbs oil and petroleum based liquids while repelling water.
- Strong outer sleeve for added durability.
- Metal Clips & rings allow for easy linking of booms or attaching ropes.
- Inner rope provides strength when deploying and retrieving booms.
- Inner sleeve keeps adsorbent material intact.

Part No.	Description	Dimensions	Weight	Capacity	No./Pallet	Packaging
ENV510	Standard Boom	ø 13cm x 3m	standardweight	119 Litres	20	4/bale
ENV810	Standard Boom	ø 18cm x 3m	standardweight	259 Litres	6	4/bale
SPC516	Premium Boom	ø 13cm x 5m	standardweight	98 Litres	20	2/bale
SPC810-E	Premium Boom	ø 20cm x 3m	heavyweight	316 Litres	6	4/bale
SPC816-E	Premium Boom	ø 20cm x 5m	heavyweight	228 Litres	6	2/bale
SPC518	Bilge Boom	ø 13cm x 45cm	standardweight	46 Litres	40	10/box
SPC818-E	Bilge Boom	ø 20cm x 45cm	heavyweight	131 Litres	16	4/bale

# Micro Fibres

Oil Only



- Designed for filtering oil from water and moist air.
- High absorbency - up to 15 times its own weight.
- Allows for filtration with minimal flow rate.
- No additional pressure needed to force the oily liquid through.
- Fibers can be used in any size or shaped container in which they are placed.
- Numerous applications such as pre-filters for compressors, paint filtration, water filtration, etc.

Part No.	Description	Dimensions	Capacity	Packaging
PSF10	Micro Fibre Cartridges	ø 13cm x 1m	139 Litres	10/box
SF1	Micro Fibres - loose	N/A	868 Litres	50kg/box



## Granules & Absorbents

## Oil Only



### SPHAG SORB - compressed peat

- All organic particulate for oil clean up on land or water.
- Absorbs quickly due to fast wicking action.

### SPILL MAGNET - absorbent powder

- Fast absorbing powder that retains up to 25 times its own weight.
- Remains non-leaching after application.

### WYK Super Sorbent - universal absorbent

- Fast acting non-reactive absorbent powder.
- Available in handy cartons for easy application

Part No.	Description	Capacity	No./Pallet	Packaging
SS2	Sphagsorb Peat	74 Litres	45	62.3L bag
G18	Clay Granules	0.8 x weight	70	16.5kg
SM5	Spill Magnet	25 x weight	45	5kg tub
SM10	Spill Magnet	25 x weight	30	10kg tub
WYK1C	WYK Super Sorbent	1 Litre		1.14kg carton
WYK12C	WYK Super Sorbent	13 Litres		12 x 1.14kg carton
WYK1B	WYK Super Sorbent	11 Litres		11.36kg bag

## Bio Tubes

## Oil Separator Bioremediation



- The biological solution that can reduce oil discharges from oily water separators by up to 95%!
- Contain a blend of naturally occurring, oil specific bacteria that will digest their way through up to 2kg of oil a week - every week.
- Digests free surface oil into harmless CO<sub>2</sub> & water.
- Maintenance free and helps reduce cleaning costs.
- Environmentally friendly.
- For further details, go to [www.bio-tubes.com](http://www.bio-tubes.com)

Part No.	Description	Capacity	No./Pallet	Packaging
BT3	Bio Tubes	N/A	48	3/box
BT6	Bio Tubes	N/A	20	6/box



## Oil Stains - Hard Surfaces

### OT8



- A biological treatment for removing oil stains from hard surfaces
- Suitable for use on floors, road surfaces, forecourts and equipment
- Digests oil into water and CO<sub>2</sub> - completely removing the stain
- Easy to use - simply apply direct to the stain and brush in
- Biodegradable • Versatile • Fast acting

Pack Sizes

12 x 1L

4 x 5L

20L

200L

1000L

1m<sup>2</sup> kit

5m<sup>2</sup> kit

## Oil Stains - Tarmac & Asphalt

### Bio TA



- A biological treatment for removing oil stains from tarmac & asphalt
- Will not erode tarmac and asphalt surfaces
- Digests oil into water and CO<sub>2</sub> - completely removing the stain
- Easy to use - simply apply direct to the stain and brush in
- Biodegradable • Versatile • Fast acting

Pack Sizes

12 x 1L

4 x 5L

20L

200L

1000L

1m<sup>2</sup> kit

5m<sup>2</sup> kit

## Oil Removal - Gravel & Stones

### Bio Gel



- A biological treatment for the removal of oil from gravel and stones
- Ideal for use in oil storage areas, tank bunds, transformer footings and railway lines
- Uniquely cleans oil contamination in situ
- No need for expensive site excavation and off-site treatment
- Digests oil into water and CO<sub>2</sub> • Biodegradable • Hazard label free

Pack Sizes

25kg

## Oil Removal - Soil & Sand

### S-Oil Treat



- A biological treatment for the removal of oil from sand & soil
- Uniquely cleans oil contamination in situ
- No need for expensive site excavation and off-site treatment
- Successfully used to treat oil contaminated sand in Kuwait and Oman
- Digests oil into harmless water and CO<sub>2</sub>
- Biodegradable • Hazard label free


Pack Sizes

5kg

10kg

## Sweep

## Oil Only



- Designed to provide a sweeping action across the water's surface to remove oil.
- Abrasion resistant blue spunbond coverstock for extra strength and durability.
- Full length nylon strap allows sweep to be tied off to a boom or dragged behind a boat.
- Reinforced strap also allows linking of multiple sweeps and simplifies retrieval of the sweep once saturated.

Part No.	Description	Dimensions	Capacity	No./Pallet	Packaging
SPC1900	Sweep	48cm x 30.5m	94 Litres	42	1/bale

## Oil Nets & Drag Nets

## Oil Only




- The ideal sorbent to remove heavy oils.
- Can be washed and re-used.
- Ideal for heavy oil like bunker C, crude oil & oils no. 4, 5 & 6.
- High absorption: 20 to 60 times its own weight.
- Effective even in sub-freezing conditions.
- Choose between:
  - **Oil Nets** - handy for cleaning rocks and pillings
  - **Drag Nets** - to clean shore lines or to pull behind a boat.

Part No.	Description	Capacity	No./Pallet	Packaging
ONO30	Oil Nets - individual	57 Litres	25	30/bale
ODN08	Oil Drag nets - 30 nets attached to 15m rope	57 Litres	25	1/bale



## Mini Booms

Oil Only



- Non-adsorbent booms for containment of oil spills on water.
- Ideal for inland spills in small rivers & streams.
- Compact size - easily deployed & handled by 1 person.
- Requires minimum storage space.
- A great solution for fire brigades, first responders, water and road transport companies.
- Light weight - ideal for remote and difficult to reach areas.
- Encapsulated chain for added strength.
- PVC coated material for greater durability.
- PVC carry bag available - protects and facilitates transport.

Part No.	Description	Dimensions	No./Pallet	Packaging
SPCMB-0525	Mini Boom	h.25cm (10cm float, 15cm skirt)	12	7.5m section

## Junior Boom

Oil Only



- A larger abrasion, weather resistant containment boom.
- Great for water with light currents.
- Aluminium ASTM connectors for linking of sections.
- Anchor rings at ends allow for towing and anchoring.
- Ergonomic handles facilitate the linking of connectors.
- Optional Bulk Head Riser allows boom to move with waves and tide.
- Encapsulated chain for added strength.
- PVC coated material for greater durability.
- Ideal for repeated use.

Part No.	Description	Dimensions	No./Pallet	Packaging
SPCJR-1210	Junior Boom	h.45cm (15cm float, 30cm skirt)	6	30m section
SPCJR-1205	Junior Boom	h.45cm (15cm float, 30cm skirt)	12	15m section



## Pads & Rolls



## Hazardous Liquids

- For use on chemical and hazardous liquid spills.
- Adsorbs a wide range of liquids - acids, caustics, etc.
- Chemically inert product - does not degrade or cause a chemical reaction with the adsorbed liquid.
- Green colour alerts workers that product is being used for hazardous liquids.
- Colour also allows the user to identify and separate hazardous waste for disposal - lower disposal costs.
- Rolls perforated for flexibility - tear at the perforations for smaller sized pads to use only what you need.

Part No.	Description	Dimensions	Weight	Capacity	No./Pallet	Packaging
UN100-E	Pads - perforated & bonded	41 x 51cm	mediumweight	88 Litres	30	100/box
UN1212-E	Pads - bonded	30 x 30cm	mediumweight	76 Litres	36	200/box
UN15-2DP-E	Roll - dbl-perforated & bonded	38cm x 46m	mediumweight	147 Litres	15	2/box
UN15-DP-E	Roll - dbl-perforated & bonded	38cm x 46m	mediumweight	73 Litres	30	1/disp.box
UN15-DPS-E	Roll - dbl-perforated & bonded	38cm x 22m	mediumweight	35 Litres	54	1/disp.box
UN30-DP-E	Roll - dbl-perforated & bonded	76cm x 46m	mediumweight	147 Litres	15	1/box

## Socs



## Hazardous Liquids

- Chemical resistant Socs for confining and preventing hazardous spills from spreading.
- Adsorbs chemicals, acids and bases.
- Various lengths, allowing the right size for your machine.
- Flexible design allows the Soc to fit around any machine, corner, curve or spill.

Part No.	Description	Dimensions	Capacity	No./Pallet	Packaging
HAZ412	Hazwik Socs	ø 7.6cm x 122cm	45 Litres	30	12/box
HAZ806	Hazwik Socs	ø 7.6cm x 244cm	48 Litres	30	6/box
HAZ124	Hazwik Socs	ø 7.6cm x 366cm	45 Litres	30	4/box

## Pillows




## Hazardous Liquids

- For adsorbing small chemical spills and leaking liquids in tight places.
- Adsorbs chemicals, acids and bases.
- Good for large spills, once contained.
- Ideal for use in packaging for extra protection during transport.
- Different sizes to fit any application.

Part No.	Description	Dimensions	Capacity	No./Pallet	Packaging
HAZ1818	Hazwik Pillows	43 x 48cm	105 Litres	20	16/box
HAZ1818-2	Hazwik Pillows	43 x 48cm	53 Litres	40	8/box
HAZ99	Hazwik Pillows	25 x 25cm	58 Litres	40	32/box

## Booms



## Hazardous Liquids

- The best way to adsorb and contain large spills of chemicals and hazardous liquids.
- Adsorbs chemicals, acids & bases as well as oils and water-based liquids.
- Metal clips & rings allow for easy linking of booms.
- Inner rope secured with four clips to provide strength.
- Strong outer sleeve for durability.
- Inner sleeve keeps the adsorbent material intact within the boom.

Part No.	Description	Dimensions	Capacity	No./Pallet	Packaging
UN510	Booms	ø 13cm x 3m	118 Litres	20	4/bale
UN810	Booms	ø 20cm x 3m	263 Litres	6	4/bale

## GP Maxx Pads & Rolls

## Maintenance



- Economical general purpose maintenance pads & rolls - a perfect combination of strength and adsorbency.
- Adsorb a variety of industrial liquids including oils, water, solvents, coolants, etc.
- Highly adsorbent - GP MAXX pads & rolls adsorb up to 18 times their weight!
- As less material is required, disposal costs are lower.
- Smooth surface finish with less lint than traditional single ply pads - looks better and performs better.
- Ideal when low cost and high adsorption are required.

Part No.	Description	Dimensions	Weight	Capacity	No./Pallet	Packaging
GP100-M	MAXX Pads - perforated & bonded	41 x 51cm	mediumweight	95 Litres	30	100/box
GP200-M	MAXX Pads - perforated & bonded	41 x 51cm	lightweight	166 Litres	24	200/box
GP150-E	MAXX Roll - bonded	96cm x 44m	mediumweight	192 Litres	16	1/bale
GP152-E	MAXX Roll - perforated & bonded	48cm x 44m	mediumweight	192 Litres	16	2/bale

## MRO Plus Pads & Rolls

## Maintenance




- Premium quality for general maintenance or spill clean up.
- Adsorb a variety of industrial liquids including oils, water, solvents, coolants, etc.
- 3-ply construction adds strength and durability.
- Ideal sorbent for dealing with leaks and drips in the work place.
- Perforated to help minimize waste and lower disposal costs.
- Pads available with unique "Dispense & Dispose" system for added convenience and lower cost per pad.

Part No.	Description	Dimensions	Weight	Capacity	No./Pallet	Packaging
MRO150-DND-E	Pads - perforated & bonded	41 x 51cm	heavyweight	168 Litres	18	150/D&D-box
MRO15-PE	Roll - perforated & bonded	38cm x 46m	heavyweight	94 Litres	30	1/disp.box
MRO15-DPS-E	Roll - dbl.perforated & bonded	38cm x 22m	heavyweight	45 Litres	54	1/disp.box
MRO315-PE	Roll - perforated & bonded	38cm x 46m	mediumweight	73 Litres	30	1/disp.box
MRO30-PE	Roll - perforated & bonded	76cm x 46m	heavyweight	187 Litres	15	1/box
MRO30-DPE	Roll - dbl.perforated & bonded	76cm x 46m	heavyweight	187 Litres	15	1/box
MRO330-DPE	Roll - dbl.perforated & bonded	76cm x 46m	mediumweight	147 Litres	15	1/box



## UXT Pads & Rolls

## Maintenance




- Extra tough maintenance pads & rolls for applications that require a durable, non-linting, abrasion resistant sorbent.
- Adsorb a variety of liquids, including oils, water, solvents, coolants, etc..
- 3-ply construction adds strength and durability.
- Spunbound outer layers for greater abrasion resistance.
- Non-linting overstock eliminates loose fibers.
- Ideal for use in areas with moderate foot traffic.
- Perforated to permit the use of precisely the right amount of material required - reducing waste.

Part No.	Description	Dimensions	Weight	Capacity	No./Pallet	Packaging
UXT200-E	Pads - perforated & bonded	41 x 51cm	lightweight	136 Litres	30	200/box
UXT300-E	Pads - perforated & bonded	41 x 51cm	mediumweight	95 Litres	30	100/box
UXT315-P-E	Roll - perforated & bonded	38cm x 46m	mediumweight	70 Litres	30	1/disp.box
UXT330-DP-E	Roll - dbl-perforated & bonded	76cm x 46m	mediumweight	141 Litres	15	1/box

## BattleMat Rolls

## Maintenance




- Tough cover layer hides leaks and drips for longer use.
- Ideal for areas with moderate foot traffic.
- Adsorbs spills & leaks of any liquid: oils, coolants, water, solvents, etc.
- Camouflage pattern hides dirt and reduces premature replacement.
- Durable, abrasion resistant top layer offers sure footing.
- Ideal for use in walkways, production & machine areas, under assembly lines, etc.
- Perforated for maximum flexibility and minimum waste..

Part No.	Description	Dimensions	Weight	Capacity	No./Pallet	Packaging
BM15-E	Roll - dbl.perforated & bonded	38cm x 46m	heavyweight	99 Litres	30	1/box
BM30-E	Roll - dbl.perforated & bonded	76 x 46m	heavyweight	197 Litres	15	1/box
BM30X-E	Roll - bonded	76cm x 46m	heavyweight	197 Litres	15	1/box

## Comfort Spill Mat

## Maintenance



- The adsorbing anti-fatigue mat - a combination of adsorbent matting fitted inside an anti-fatigue mat.
- Provides buoyancy for basic fatigue relief.
- Silicone free allowing it to be used in vehicle painting facilities.
- High quality nitrile rubber makes the mat oil resistant.
- Rough surface allows sorbent to “grip” anti-fatigue mat.
- Allows you to keep workers safe while protecting floor from oils and other liquids.

Part No.	Description	Dimensions	Weight	Capacity	No./Pallet	Packaging
SA-AFA	Spill Mat Kit, including: <ul style="list-style-type: none"> <li>• Anti-fatigue Mat (x 1)</li> <li>• Absorbent Roll, perforated (x 1)</li> </ul>	82 x 152cm 76cm x 46m	heavyweight	187 Litres	15	1/bale
MRO32-P-B-E	Roll - perforated (refill)	76cm x 46m	heavyweight	187 Litres	15	1/bale

## Benchtop Wipes

## Maintenance




- Perfect for cleaning tools, machine parts or small drips.
- Chemical resistant - use with oil, water, solvents or acids.
- Lower cost per wipe compared to reusable wipes - no extra laundering cost.
- One time use eliminates risk of contamination from previous users, metal chips, hazardous chemicals, etc - a potential problem with reusable wipes.
- Adsorbent microstructure retains solvent based cleaners, reducing consumption of expensive cleaners when compared to cotton or paper wipes.

Part No.	Description	Dimensions	Capacity	No./Pallet	Packaging
SW1200	Wipes	30 x 38cm	38 Litres	15	500/box (10 packs of 50)

## Socs

## Maintenance



- Adsorb a variety of industrial liquids.
- Different lengths in order to always have the right size for your application.
- Flexible design allows the Soc to fit around any machine, corner or curve.
- AW Socs filled with universal meltblown polypropylene.
- **FLEXISOC** - the ultimate Soc for flexibility. Simply cut into the length you require and clip.

Part No.	Description	Dimensions	Capacity	No./Pallet	Packaging
AW124	Allwik Socs	ø 7.6cm x 3.66m	45 Litres	30	4/box
AW412	Allwik Socs	ø 7.6cm x 1.22m	45 Litres	30	12/box
AW430	Allwik Socs	ø 7.6cm x 1.22m	113 Litres	25	30/box
AW806	Allwik Socs	ø 7.6cm x 2.44m	45 Litres	30	6/box
AW561	FlexiSoc - includes 30 clips	ø 7.6cm x 17m	53 Litres	40	1/box

## Pillows & Drum Top Covers

## Maintenance





- **PILLOWS** - ideal for adsorbing spills and leaking fluids in tight spaces and under persistent drip sources.
- Adsorb a wide range of industrial liquids.
- Different sizes to fit any application or spill.
- **DRUM TOP COVERS** - keep drum tops neat & clean.
- Adsorb a wide range of industrial liquids.
- Creates a clean and safe work environment by preventing pump drips from reaching the floor.
- Pre-cut holes for 205L Drums.

Part No.	Description	Dimensions	Capacity	No./Pallet	Packaging
AW1818	Allwik Pillow	43 x 48cm	105 Litres	20	16/box
AW1818-2	Allwik Pillow	43x 48cm	53 Litres	40	8/box
AW99	Allwik Pillow	25 x 25cm	58 Litres	40	32/box
DTA25	Drum Top Covers	ø 56cm	26 Litres	84	25/box



## Multi-Use Rolls

## Maintenance



- 5-in-1 maintenance product - can be used as a pad, a wipe, a roll, a pillow or a soc!
- Adsorbs a variety of industrial liquids including oils, water, solvents, coolants, etc.
- Convenient dispenser box for easy access to the product.

- Multiple perforations: always the right size in order to minimise waste.
- Multi-ply construction for durability and good adsorption.
- Low lint covering on one side.

Part No.	Description	Dimensions	Weight	Capacity	No. / Pallet	Packaging
HT555-E	Roll - multi-perforated & bonded	38cm x 46m	heavyweight	89 Litres	30	1/disp.box
HT777-E	Roll - multi-perforated & bonded	76cm x 46m	heavyweight	177 Litres	15	1/box