

Permabond Cleaner A is a general purpose industrial cleaner for cleaning and degreasing surfaces prior to bonding with any Permabond adhesive. Where surfaces are greasy or dirty, wiping with CLEANER A will help produce a suitable surface for bonding.

CLEANER A is available as an aerosol spray for ease of application and has been developed to be simple and easy to use, helping to ensure that components are clean, even when the bond area is difficult to access.

Physical Properties

| | |
|-------------------------|------------|
| Colour | Colourless |
| Viscosity | ~0.7 mPa.s |
| Flashpoint | -26°C |
| Boiling Point | 102°C |
| Specific Gravity | 0.68 |

Storage and Handling

| | |
|---|-----------|
| Storage Temperature | 5 to 25°C |
| Shelf Life Stored in original unopened containers | 24 months |

Cleaner A is flammable and containers should be stored in a cool place, away from direct sunlight.

Users are reminded that all materials, whether innocuous or not, should be handled in accordance with the principles of good industrial hygiene. Full information can be obtained from the Material Safety Data Sheet.

Directions for use:

- Remove excess contamination from the surface using a rag.
- Hold the can of Cleaner A above the surface and spray onto the contaminated area.
- Wipe clean using a rag.

Alternatively

- Spray Cleaner A onto a clean rag and use this to wipe over the surface
- Leave surface to evaporate dry.
- Permabond Cleaner A is formulated to minimise attack and maximise performance on certain plastics. However, it is recommended that the product is tested for compatibility prior to use in production.

Contact Permabond:

Europe: Tel. +44 (0)1962 711661
UK Helpline: 0800 975 9800
Deutschland: 0800 10 13 177
France: 0805 11 13 88
info.europe@permabond.com

US: Tel. 00 1 732-868-1372
Helpline: 800-640-7599
info.americas@permabond.com
Asia: Tel. 00 886 939 49 3310
info.asia@permabond.com

www.permabond.com

The information given and the recommendations made herein are based on our experience and are believed to be accurate. No guarantee as to, or responsibility for, their accuracy can be given or accepted, however, and no statement herein is to be treated as a representation or warranty. In every case we urge and recommend that purchasers, before using any product, make their own tests to determine, to their own satisfaction, its suitability for their particular purposes under their own operating conditions.